

A

ado command, 45
 arithmetic operators, *see* operators, arithmetic
 auto hide, *see* windows, Auto Hide
 automatic update checking, *see* updates, automatic
 update checking

B

Break, 90
 button, 32
 browse command, 10, 14, 66–67
 button,
 Break, 32, 90
 Clear ~~more~~ condition, 32, 89
 Data Browser, 10, 32
 Data Editor, 32, 58
 Do, 102, 107
 Do-file Editor, 32, 102
 Graph, 23, 32
 Graph Editor, 110
 Log, 30, 32, 113
 Open, 32
 Preview, 101, 107
 Print, 32
 Reset, 26
 Run, 102, 107
 Save, 32
 Viewer, 32, 41
 by() option, 20, 23
 by prefix, 19, 21, 29
 by/if/in tab, 15, 19, 21, 34

C

cd command, 36, 137
 chelp command, 52
 clear command, 97
 clear more condition, *see* ~~more~~ condition
 cmdlog command, 116
 codebook command, 12–14, 48
 combobox, 13
 command history, 32
 command syntax, 29
 Command window, 31–32, 36
 commands,
 compared to menus, 29
 learning, 35, 119–121
 comments, *see* log files, commenting
 contextual menu, 31
 Do-file Editor, 106
 Graph window, 110
 Review window, 33
 Variables window, 33–34
 Viewer, 44

copying,
 data, *see* data, copying
 graphs, *see* graphs, copying
 text, *see* text, copying
 correlate command, 21
 creating variables, *see* variables, creating

D

data,
 copying, 62, 69
 tips, 63
 entering, 58–63
 graphing, 22–28
 importing, *see* importing data
 labeling, 75–80
 listing, 81–90
 pasting, 62, 69
 sorting, 64
 strings, 60
 Data Browser, 10, 66–67
 closing, 67
 opening, 66
 sorting, 67
 toolbar, 57
 toolbar button, 32
 Data Editor, 57–67
 active cell location, 59–60
 closing, 67
 color coding, 60
 contextual menus, 67
 delete button, 57, 64
 empty columns, 60
 empty rows, 60
 enter data by column, 59
 enter data by row, 59
 entering data, 58–63
 limiting exposure, 65–66
 movement, 57–58
 opening, 58
 right-clicking, 67
 sort button, 64
 sorting, 64
 tips, 65, 74
 toolbar, 57
 toolbar button, 32
 tracking changes, 65
 when to browse, 65
 data management, 10–15
 data type, *see* variables, data type
 dataset, 12
 changing, 64–66
 notes, 11, 34
 opening, 55, 141
 saving, 55
 saving in old format, 55
 structure, 11

db command, 35
deleting variables, see variables, dropping
describe command, 11, 75–79
 describe, short, 58
descriptive statistics, 15–22
dialogs, 34
 accessing from Command window, 35
 Cancel button, 35
 copy button, 35
 help button, 35
 label define, 80
 OK button, 35
 reset button, 35
 saving commands, 107
 Submit button, 35
 Variables field, 13, 15
dictionary file, 73
directory, working, see working directory
display format, see variables, display format
displaying graphs, see graphs, schemes
Do,
 button, see button, Do
 menu item, 107
do-file, 102–105, 107, 116, 138
 automatically saving when run, 106
 editing, see Do-file Editor
 tips, 104
 troubleshooting, 103–105
Do-file Editor, 101–107
 balancing parentheses, 106
 buttons, 101–102
 changing case, 106
 contextual menu, 106
 editing help files, 107
 editing tools, 105
 getting Review window contents, 33
 go to line, 106
 inserting a file, 105
 matching braces, 106
 preferences, 106
 right-clicking, 106
 searching, 106
 toolbar button, 32
 Tools menu, 107
 Do selection, 107
 Do to bottom, 107
docking guides, see windows, docking guides
docking windows, see windows, docking
drop command, 97–98
dropping variables, see variables, dropping
dummy variable, see indicator variable

E

edit command, 65
editing data, see Data Editor
editing do-file, see Do-file Editor

EMF, 141
Encapsulated Postscript, see EPS
Enhanced Metafile, see EMF
EPS, 142
equality, 18–19, 85
examples,
 dialogs, 12, 15–17, 19–23, 25, 34–35, 80, 109
 graphs, 22–28, 109, 111
 help, 47–50
 if qualifier, 14–16, 18, 65–66, 83–86, 98–99
 in qualifier, 87
 menus, 9, 11–13, 15–17, 19–23, 25, 34, 80, 109
 varlist, 65, 81–83
exit command, 8
exiting Stata, see Stata, exiting
exp, see expressions
expressions, 83, 91

F

fdause command, 69, 74
files,
 double-clicking, 139
fitted values, see predict command
floating windows, see windows, floating
fonts,
 changing in one graph, see Graph Editor
 changing in windows, see preferences, font
 preferences, see preferences, font
functions, 91

G

generate command, 24–25, 27–28, 91–96
 tips, 94
 troubleshooting, 93
generating variables, see variables, creating
Graph Editor, 111–112
 abilities, 112
 closing, see Graph Editor, stopping
 contextual toolbar, 111–112
 experimentation, 112
 Grid Edit tool, 112
 Object Browser, 112
 starting, 111
 stopping, 112
 tools, 112
 Undo button, 112
graph setup, see graphs, schemes
Graph window, 23, 110
 contextual menu, 110
 right-clicking, 110–111
 toolbar button, 32
Graphical User Interface, see GUI
graphs,
 copy and paste, 141
 copying, 110

graphs, *continued*
 export formats, 142
 exporting, 141
 overlaid, 25–27
 printing, 27, 110, 139
 renaming, 110
 right-clicking, 110
 saving, 110
 schemes, 117
 GUI, 31–39

H

help command, 51
 help for *command*, 45
 help system, 47–53
 FAQs, 47
 contents, 51
 links, 48
 menu, 47
 search dialog, 48
 searching, 47–53, 127–128
 tips, 50
 hypothesis testing, 20

I

identifier variable, 13
 if qualifier, 14–16, 18, 29, 35, 81, 83–86, 92, 97
 examples, *see* examples, *if* qualifier
 troubleshooting, 85–86
 importing data, 69–74
 comma-delimited, 70
 copying and pasting, 69, 71, 74
 fixed format data, 73–74
 spreadsheet, 63, 70, 74
 tab-delimited, 70
 tips, 74
 unformatted data, 72, 74
 in qualifier, 29, 35, 81, 87, 97
 examples, *see* examples, *in* qualifier
 indicator variable, 13, 24, 94
 infile command, 69, 72–74
 variable names, 72
 infix command, 69, 74
 insheet command, 69–71
 installation, 2–5, 142
 license initialization, 4
 modifying, 3
 network, 142
 overview, 2
 starting, 2
 update, *see* updates
 upgrading, 2

Internet, 123–130
 installing programs, *see* programs, downloading and installing
 resources, 119, 121
 searching, 127–128
 using remote files, 123

K

keep command, 97, 99

L

label command, 77–80
 label data command, 77
 label define command, 77, 79
 label values command, 77, 79
 label variable command, 27, 77
 labels,
 data, 11, 77–78
 value, 10, 12–13, 17, 19, 77, 79–80
 confusing with string variable, 86
 why needed, 14
 variable, 11–13, 77–78
 license, 142
 changing, 142
 license initialization, *see* installation, license initialization
 line command, *see* twoway line command
 linear regression, *see* regression, linear
 linking windows, *see* windows, linking
 list command, 15, 71, 81–90
 listing data, *see* data, listing
 loading data, *see* dataset, opening
 Log button, 32
 log command, 113–115
 log files, 30, 113–116
 appending, 113
 commenting, 113
 contents, 113
 file extension, 115
 keeping just commands, 116
 overwriting, 113
 plain text, 113, 115
 printing, 115
 rerunning commands, 116
 SMCL, 113, 115
 starting, 113
 tips, 114
 translating formats, 113, 115
 types, 115
 viewing, 114–115
 logical expression, 83–85
 logical operators, *see* operators, logical

M

median, 16
memory, 14, 55, 76, 133–135
 allocation, 133–134, 139
 virtual memory, 135
memory command, 134
menus, 34
 compared to commands, 29
 examples, *see* examples, menus
missing values, 10, 12, 15, 17, 59–60, 64, 72, 83, 91–92, 96
 extended, 64
missing() function, 15, 66, 84
—more— condition, 11, 89
 Clear —more— toolbar button, 32

N

net command, 45
NetCourses, 119
network installation, *see* installation, network
nondocking windows, *see* windows, nondocking
numlist, 87

O

observations, 10
ODBC, 74
odbc command, 69, 74
omniscience,
 fleeting, 113
one-way table, *see* table, one-way
Open toolbar button, 32
opening a dataset, *see* dataset, opening
operators,
 arithmetic, 91
 logical, 83, 85, 91
 relational, 83, 91
 string, 96
options, 16, 29, 49, 81, 87
output, printing and saving, *see* log files
Output Settings dialog, 115

P

pasting,
 data, *see* data, pasting
 graphs, *see* graphs, copy and paste
 text, *see* text, pasting
physics, 27
PNG, 142
poisson command, 34
Portable Network Graphics, *see* PNG
postestimation commands, 25
precision, 76
predict command, 25

preferences, 117–118
 Clipboard, 117
 font, 117–118
 Graph window, 117
 loading, 118
 managing, 118
 saving, 118
 window, 117–118
prefix command, 19, 29
preserve, 57, 64
Preview button, *see* button, Preview
Printer Preferences dialog, 115
printing, 32
 contents of Viewer, 44
 graphs, 110
 output, 115
 toolbar button, 32
profile.do, 138
programs,
 downloading and installing, 127–129
 uninstalling, 130
Properties Sheet, 137

Q

quitting Stata, *see* Stata, exiting

R

recording sessions, *see* log files
reference manuals, 52
registering, 5
regress command, 25, 28
regression,
 linear, 24–29
 Poisson, 34
relational operators, *see* operators, relational
replace command, 91–94
restore, 57, 64
Results window, 9, 23, 31
 color scheme, 117
Review window, 9, 31, 33, 36
 contextual menu, 33
 reusing commands, 33
 right-click, 33, 116
 saving contents, 33
 sending contents to Do-file Editor, 33
 tip, 116
right-clicking
 Viewer, 44
run as administrator, *see* Windows Vista
Run button, *see* button, Run

S

sample session, 9–30
SAS, 74

save command, 36, 55–56
 Save toolbar button, 32
 saveold command, 55
 saving data, see dataset, saving
 saving output, see log files
 scatter command, see twoway scatter command
 search command, 45, 51–52
 searching help system, see help system, searching
 shortcuts, 137–138
 Small Stata, 1
 SMCL, 43, 107, 113
 sort command, 88
 splitters, see windows, splitters
 starting Stata, see Stata, starting
 Stata,
 32-bit, 1
 64-bit, 1, 2
 batch mode, 139–140
 datasets available, 119, 123
 documentation, 5
 executing commands at startup, 138
 exiting, 8
 FAQs, 119
 flavors, 1
 learning more, 119–121
 NetCourses, 119
 output, 9
 platforms, 1
 reading list, 119–121
 simultaneous sessions, 140
 starting, 7–8, 137, 139
 troubleshooting, see troubleshooting
 updating, see updates
 user interface, see GUI
 working directory, see working directory
Stata Journal, 47–48, 52–53, 121, 123
 Stata Markup and Control Language, see SMCL
Stata News, 121
 Stata Press, 121
 Stata starts with an error, see troubleshooting
Stata Technical Bulletin, 47–48, 52–53, 123
 Stata won't start, see troubleshooting
 Stata/IC, 1
 Stata/MP, 1
 Stata/SE, 1
 STB, see *Stata Technical Bulletin*
 stopping Stata, see Stata, exiting
 storage type, see variables, data type
 string variable, see variables, string
 strings, 95–96
 quoting, 86
 strpos() function, 96
 substr() function, 96
 summarize command, 12, 16, 18–19, 29
 syntax, 49, 81
 abbreviations, 81
 diagram, 29

syntax, *continued*
 list command, 81
 syntax note, 10, 13, 15–21, 23–24, 29
 sysprofile.do, 138
 sysuse command, 9

T

tabbing windows, see windows, tabbing
 table,
 one-way, 16–17, 19–20
 two-way, 17–18
 tabulate command, 17–20
 text,
 copying, 101
 pasting, 101
 text variables, see variables, string
 TIFF, 142
 toolbar,
 main, 32
 tooltip, 32
 troubleshooting, 131–132
 application fault, 132
 ttest command, 20
 twoway line command, 27
 twoway scatter command, 22–24, 27
 two-way table, see table, two-way
 type command, 45

U

update command, 45
 updates, 4, 45, 124–127
 ado-files, 125
 automatic update checking, 125
 executable, 126–127
 troubleshooting, 126
 upgrading, see installation, upgrading
 use command, 55
User's Guide, 119

V

Variable Properties dialog, 61
 variables, 10
 allowable names, 61
 creating, 91–96
 data type, 11, 13–14, 76, 91
 display format, 11, 33, 76
 dropping, 33, 97–98
 generating, see variables, creating
 label, 33
 missing values, see missing values
 name, 11, 76
 abbreviating, 71, 81–82
 auto-completion, 32
 naming, 61

variables, *continued*
notes, 34
renaming, 33, 61
storage type, see variables, data type
string, 11–13, 95–96
 confusing with value labels, 86
text, see variables, string
Variables window, 9, 25, 31, 33–34, 36
 clicking, 33
 contextual menu, 33–34
varlist, 13, 29, 81, 97
 examples, see examples, *varlist*
view command, 45
Viewer, 36, 41–46, 114
 buttons, 41–42
 calling from Command window, 46
 color scheme, 117
 commands, 45
 contextual menu, 44
 copy table as HTML, 44
 Find bar, 42
 links
 clicking, 43
 middle-clicking, 43
 shift-clicking, 43
 log files, 114–115
 navigating, 44
 new window, 43
 opening, 41
 persistent, 43
 preferences, 44
 printing, 44
 printing log files, 115
 selecting one Viewer, 43
 toolbar button, 32, 41
 viewing current log, 43
 viewing logs, 43
 viewing remote files, 44
 viewing text files, 43

W

windows, 31
 Auto Hide, 38
 closing, 118
 docking, 36–37, 43
 docking and undocking, 37–38
 docking guides, 37–38
 fine control, 36
 floating, 38–39
 linked, 36
 linking, 36–38
 nondocking, 36, 39
 opening, 118
 preferences, 37
 resizing, 37
 revealing, 31

windows, *continued*
 splitters, 37
 tabbed, 36
 tabbing, 37
 types, 36
Windows Metafile, see WMF
Windows Vista, 4, 124, 126–127
WMF, 44, 141
working directory, 2, 36, 142

X

XML, 74
xmluse command, 69, 74